

Building product declaration 2015

according to BPD associations' standardised format eBVD2015

Theatre diffusers (safe)

1. BASIC DATA

Document data

ld:	Version:
A-7300009-00795-0-161	2
Created:	Last saved:
2018-01-18 10:26:46	2018-01-18 10:27:13
Changes relates to:	
Article identities	
Theatre diffusers (safe)	
Article name:	
Theatre diffusers (safe)	
Article No/ID concept	
Article identity: GTIN CCU, CCU0, CCU1, CCU2, CRU, CRU0, CRU1, CRU2	
Product group system	Product group id
Product group system	Product group id
Product group system BK04 2	Product group id 1004
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in theat	1004 pM
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in the Circular connection with Lindab Safe. Assessments at Byggvarubedömning	1004 Multiple of the content of the
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in the Circular connection with Lindab Safe. Assessments at Byggvarubedömning to use the article name as search criteria.	and tres, auditoriums, etc. The diffuser is supplied with a circular connection. en etc. are registered under the name "Teaterdon (safe)". It is also possible
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in the Circular connection with Lindab Safe. Assessments at Byggvarubedömning to use the article name as search criteria. Declarations of performance:	and tres, auditoriums, etc. The diffuser is supplied with a circular connection. en etc. are registered under the name "Teaterdon (safe)". It is also possible
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in the Circular connection with Lindab Safe. Assessments at Byggvarubedömning to use the article name as search criteria. Declarations of performance: Not applicable	and tres, auditoriums, etc. The diffuser is supplied with a circular connection. en etc. are registered under the name "Teaterdon (safe)". It is also possible
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in the Circular connection with Lindab Safe. Assessments at Byggvarubedömning to use the article name as search criteria. Declarations of performance: Not applicable Other information:	and tres, auditoriums, etc. The diffuser is supplied with a circular connection. en etc. are registered under the name "Teaterdon (safe)". It is also possible
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in the Circular connection with Lindab Safe. Assessments at Byggvarubedömning to use the article name as search criteria. Declarations of performance: Not applicable Other information: Lindab Sverige AB	atres, auditoriums, etc. The diffuser is supplied with a circular connection. en etc. are registered under the name "Teaterdon (safe)". It is also possible Declaration of performance number:
Product group system BK04 BSAB96 Article description: Cicular/rectangular displacement diffuser for installation under seats in the Circular connection with Lindab Safe. Assessments at Byggvarubedömning to use the article name as search criteria. Declarations of performance: Not applicable Other information: Lindab Sverige AB Company name:	and tres, auditoriums, etc. The diffuser is supplied with a circular connection. en etc. are registered under the name "Teaterdon (safe)". It is also possible Declaration of performance number: Organisation number:

	E-mail:	Telephone:
	matilda.isaksson@lindab.com	+46 72 353 44 61
	VAT number:	Website:
	SE556247227301	www.lindab.se
	GLN:	DUNS:
	Environmental certification system	
	BREEAM BREEAM-SE LEED 2009 References	LEED version 4 Miljöbyggnad (Swedish certifica
	Reference	
	Widman J "Stålet och miljön". Stålbyggnadsinstitutet-Jernkontoret, Stockholm	(2001)
	Carbon Footprint study for Lindab produkts performed by WSP 2010	
	The International Aluminium Institute (IAI), Sustainability, http://www.world-alu	ıminium.org, 2017-02
2		
۷.	SUSTAINABILITY WORK	
	Company's certification	
	✓ ISO 9001 ✓ ISO 14001	
	Other:	
	Policies and guidelines	
	The company has a code of conduct/policy/guidelines for dealing with s	social responsibility in the supplier chain, including produces for ensuring
	the requirements This is third-party audited	
	If yes, which if the following guidelines have you affiliated to or management s	system you have implemented
	UN guiding principles for companies and human rights	
	ILO's eight core conventions	
	OECD Guidelines for Multinational Enterprises	
	✓ UN Global Compact	
	✓ ISO 26000	
	Other policy guidelines	
	Management system	
	If you have a management system for corporate social responsibility, what our	t of the following is included in the work?
	Mapping	
	Risk analysis	
	Action plan	
	Monitoring	

GRI - Global Reporting Initiative

3. DECLARATION OF CONTENTS

Chemical content

Enter chemical conten	t for the whole article. The con	centration is calculated at	component level according to the	principle of "once	an article always an
Is there a safety data s	sheet for the article?		Is there classification of the article	e?	
Not applicable			Not applicable		
Enter which version of	the candidate list has been us	ed (Year, month, day)	For complex products, the concer been calculated at:	ntration of included	l substances has
			whole construction product		
The article is covered	by the RoHS Directive:		Enter the weight of the article:		
No					
Enter how large a prop	portion of the material content l	nas been declared [%			
100					
If the article contains n	nanomaterials deliberately adde	ed to obtain a particular fu	nction, enter these here:		
The product does not	contain deliberately added nan	omaterial			
Is the article registered	d in Basta?		Enter the proportion of volatile org to sealants, paints, varnishes and		g/litre], applies only
Yes					
Other information:					
Article and/or	sub-components				
Phase	Delivery				
Component	Body, flange, frontplat	e, covering	Weight% of product		
Comment					
Material	Substance	Concentration	EG/CAS/Alternative	Candidate	Phasing-out

		interval (%)	designation	list	substance
	Galvanized steel	=92.32	EN 10346:2015		
Component	Color		Weight% of produc	t	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Barium Sulphate	=0.48	007727-43-7		
	Epoxy resin	=0.94	025036-25-3		
	Iron oxide	=0.03	001309-37-1		

	Titanium dioxide	=0.94	013463-67-7		
Component	Pipe and nuts		Weight% of product	t	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-ou substance
	Aluminium	=1.02	Alu 6061		
Component	Safe sealing strip		Weight% of product	t	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-ou substance
Rubber	EPDM	=1.36	25038-36-2		
Rubber	Parafin oil	=0.33	8012-95-1		
Component	Screws, washers, lo	ock nuts	Weight% of product	t	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-ou substance
	Steel	=2.28			
Component	Steel band		Weight% of product	i.	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-or substance
	Steel	<0.3	AZ SS-EN 10215		

4. RAW MATERIALS

Raw materials

Component Material Transport type

Steel Ship

Country of raw material extraction City of raw material extraction

Sweden

Country of manufacture/production City of manufacture/production

Comment

The steel raw material is produced at different smelting plants, mainly in the EU, according to the detailed specification of the current standard. The sheet dimensions are then adjusted at the production unit in Grevie.

Total recycled material in the article



Is recycled material included in the article?

Material

Steel

Proportion after the consumer stage Proportion before the consumer stag Weight/percent by weight

100 0 20 %

Comment

About 20% recycled material are being used in the production of steel.

Material

Aluminium

Proportion after the consumer stage Proportion before the consumer stage Weight/percent by weight

39 61 57,9 %

Comment

The amount of recycled aluminium varies depending on availability. Hence it can vary between 0 and 100%. All collected aluminium are being reused.

Renewable material

Enter proportion of renewable material in the article (short cycle, less than 10 years):	Enter proportion of renewable material in the article (long cycle, more than 10 years):
0	0
Included biobased raw material is tested according to ASTM test met	thod D6866:
Is there supporting documentation for the raw materials for third-party certific recycling processes or similar (for example BES 6001:2008, EMS certificate	
No	
Wood raw materials	
Wood raw materials are included	Included wood raw material is certified
How large a proportion is certified [%]?	
What certification system has been used (for example FSC, CSA, SFI with 0	CoC, PEFC)?
Reference number:	
Enter logging country for the wood raw material and that following criteria ha	ave been met. Country of logging:
Does not contain type of wood or origin in CITES appendix of endang	gered species
The timber has been logged legally and there is certification for this	

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according	to EN 15804 or ISO 14025 for the article?
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:
Climate impact (GWP100) [kg CO2-eq]:	Ozone depletion (ODP) [kg CFC 11-eq]:
Acidification (AP) [kg SO2-eq]:	Ground-level ozone (POCP) [kg ethene-eq]:
Eutrophication (EP) [kg (PO4)-3-eq]:	Renewable energy [MJ]:
Non-renewable energy [MJ]:	If calculation has been made in Green Guide, enter which rating:
If there is environmental product declaration or other life cycle assessme from a life cycle perspective:	ent, describe how the environmental impact of the article is taken into account
The information refer to "gate to gate" inflows (raw materials, inputs, end	ergy, etc.) for the registered product into the manufacturing unit, and outflows

The information refer to "gate to gate", inflows (raw materials, inputs, energy, etc.) for the registered product into the manufacturing unit, and outflows (emissions and waste) from it and relates to unit of product 1 kg.

Country of final manufature: Denmark or Czech Republic.

Energy used in the manufacture of the product: electricity 0,58 kWh per produced kilo.

Transport: <99% truck, deliveries to the customer/branch, <1% electric forklift.

Climate impact from internal tranports: CO2 0,0025 kg, CH4 <0,0001 kg and N20 <0,0001 kg.

Emissions to air, water or soil from the manufacture of the product, climate impact from operations: carbon dioxide equivalents (CO2-e) \approx 1,5 kg per kilo product (Not included in Lindab carbon footprint study).

The production itself causes no emissions to air, water or land.

Residual products from the manufacture of the product: <30% steel scrap, 100% is recycled, waste code 17 04 05. <18% aluminium scrap, 100% is recycled, waste code 17 04 02. All waste is taken care of by a carrier with the necessary permits. No waste is exported.

For information about raw materials, distribution, waste etc., see the other sections.

6. DISTRIBUTION

Distribution of finished article

Does the supplier use Retursystem Byggpall?

Yes

No

Does the supplier apply any system with multiple-use packaging for the article?

No

Step Supplier take back packaging for the article?

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Förpacknings & Tidningsinsamlingen

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.

7. CONSTRUCTION PHASE

Construction phase

8.

Does the article make special requirements in storage?	
Yes	
Specify	
To prevent soiling and oxidation, the product should be stored protected See Lindab's product catalogue for more information.	d from the weather.
Does the article make special requirements for surrounding building products?	
No	
Specify	
Other information:	
USE PHASE	
Use phase	
Does the article make requirements for input materials for operation and maintenance?	
No	
Specify:	
Does the article require supply of energy during operation?	
No	
Specify:	
Estimated technical service life for the article:	
>50 years	
Comment:	
Lifetime depends on the environment where the product is being used. There is a special instruction for the care of this product, see Lindab's p. The product can be adapted to work with new tech.	
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
Not applicable	
Other information:	

9. DEMOLITION

Demolition

	Is the article prepared for disassembly (dismantling)?
	Yes
	Specify:
	The parts can easily be separated.
	Does the article require special measures for protection of health and environment in demolition/disassembly?
	No
	Specify:
	Other information:
10	. WASTE MANAGEMENT
	Delivered article
	Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
	No
	Is reuse possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	The entire product can be reused.
	Is material recovery possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	~99% of the material can be recycled.
	Is energy recovery possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	Heat recovery occurs at smelter.
	Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
	Yes
	Specify:
	Should be recycled according to recommended waste code.
	Waste code for the delivered article when it becomes waste
	170203 - 03 Plast.
	170402 - 02 Aluminium.
	170405 - 05 Järn och stål.

ted article ted article classified as hazardo information OR ENVIRO environment article is not intended for indoor article does not produce any em sions from the article not measu	NMENT use issions ured	
nformation OR ENVIRO environment article is not intended for indoor article does not produce any em	NMENT use issions ured	
nformation OOR ENVIRO environment article is not intended for indoor article does not produce any em	NMENT use issions ured	
OOR ENVIRO environment article is not intended for indoor article does not produce any em	use issions ured	
OOR ENVIRO environment article is not intended for indoor article does not produce any em	use issions ured	
OOR ENVIRO environment article is not intended for indoor article does not produce any em	use issions ured	
environment article is not intended for indoor article does not produce any em	use issions ured	
environment article is not intended for indoor article does not produce any em	use issions ured	
article is not intended for indoor article does not produce any emsions from the article not measu	issions	
article does not produce any em	issions	
sions from the article not measu	ıred	
ticle have a critical moisture sta	tn2	
	le ?	
what:		
	Electrical field	Magnetic fields
cle give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?
	No	No
	Value:	Value:
	Unit:	Unit:
method:	Measuring method:	Measuring method:
	cle give rise to own noise?	Can the article give rise to electrical fields? No Value: Unit: